

Digital Telephone System

DX1S Series

An Excellent Product From 

DX1S Series ***Digital Telephone System***



DX1S-M

Remote Maintenance

No matter the distance and time, Remote Maintenance allows the technician to diagnosis and programs the system through the telephone lines.

Auto-Attendant & DISA

Advanced Solid State Voice Recording Technology in DX1S allows the customers custom-made their messages with different languages for Auto-Attendant and DISA (Direct Inward Station Access) features and handles the incoming call effectively.

Voice Mail System

With the Voice Mail Module, DX1S provides the Voice MailBox for all the extension users and maximizes the communication efficiency and effectiveness.

And So Many Powerful Features

Digital PCM Trunk (E1-R2)
Account Originated Toll Restriction
Trunk to Trunk Transfer
Hotel/Motel Features
Networking

Expandable Capacity

The innovative digital design enable DX1S Series Digital Telephone System to expand from 32 ports up to 480 ports to meet the business's changing requirement and growth.

Modular architecture ensures cost effectiveness in different capacity.

Universal Slot


Universal Slot make DX1S System so flexible and easy installation. Different line cards, such as Analog Trunk Card, Analog Extension Card, Digital Trunk Card, E&M Trunk Card etc., can be installed in the universal slots to form different configuration system.



DX1S-E


Effective & Efficient Communication

SYSTEM CONFIGURATION



PC OPERATOR CONSOLE MONITOR

User Friendly Console: Full Keyline Features & Status of System



FEATURE LIST

Account Number Password Control	Direct Line	Paging
Attendant Console	DISA Intercom Password Control	PCM E1-R2 Trunk
Automatic Call Back	Distinctive Dial tone	Power Failure Transfer
Automatic Phone/Fax Detection	Distinctive Ringing	Programmable Extension Number
Automatic Tone/Pulse Detection	Do Not Disturb	Programmable Flash Time
Battery Back-up Power Supply	Door Lock Operation	Programmable Call Answering
Busy and No Answer Transfer	Door Phone	Programmable Timeout
Busy Lamp Field (BLF)	E&M Trunk	Programming Data Back-up
Call Disconnect	Extension Dialing Class Control	Pulse/DTMF Dialing
Call Hold	Extension Hunting Group	Real Time Clock Display
Call Information Display	External Music Input	Remote IDD
Call Override	Feature Setting for Extension	Remote Maintenance
Call Park	Flexible Port Assignment	Room Number Correlation
Call Pick-up	Follow Me	SMDR Buffer
Call Transfer	Hot Line	Speed Dialing
Call Waiting	Hotel Numbering Plan	Station Message Detailed Recording
Camp On	IDD & LDD Codes and Tables	System Maintenance Console
Centrex Compatibility (Trunk Flash)	Idle Line Preference	System Password Control
Check-in/ Check-out	Intercom Call	System Programming Console
Class of Service	Last Number Redial	Tone/Pulse Conversion
Conference	Line Reversal Detection	Trunk Digit Insertion
Console less Operation	Loop Start Networking	Trunk Groups
Day/Night Service	Meet Me Paging	Trunk No Answer Announcement
Default Trunk Group Access	Multiple Consoles	Trunk to Trunk Transfer
Diagnostic Result Printout	Music on Hold	Two Digits Dialing for Service
Direct Dial In (DDI)	On-line Diagnostic	Voice Mail System
Direct Inward Station Access (DISA)	Outward Dialing	Wake Up Service

* The list does not include all the Features. Refer to manual for updated information.

** Some features may require additional hardware and software. Refer to manual for details.

SPECIFICATION

MODEL	DX1S-U	DX1S-M	DX1S-E
Maximum Capacity	128 ports	240 ports	480 ports
Power Consumption (max)	250W	450W	700W
AC Input	110/220V AC 50/60 Hz		
Back-up Battery	- 48V DC Lead Acid Battery		
Operating Temperature	0 ?C to 40 ?C		
Operating Humidity	10% to 90% Non-condensing		
Main Cabinet Dimension (W x D x H)	480 x 450 x 280 (mm)	480 x 450 x 280 (mm)	530 x 660 x 800 (mm)
Weight	32 Kg (with AC Power Supply)	28 Kg (no AC Power Supply)	95 Kg (with AC Power Supply)

* Specifications are subject to change without notice.



MVENT PHILIPPINES, INC. **(Market Venture Philippines, Inc.)**

523 Santissima Trinidad St., SAV-6, Parañaque City, 1707 Philippines
 Tel. No. (632) 829-4514 * (632) 829-6263 * Fax No. (632) 825-4344
 Email us: info@mvent.com.ph or visit our website: www.mvent.com.ph